## **Outdoor Accents**<sup>®</sup>

## **Decorative Hardware**

The Outdoor Accents decorative hardware product line features connectors and fasteners that bring beauty and strength to custom outdoor living structures. The two connector designs - Mission Collection<sup>®</sup> and Avant Collection<sup>™</sup> - offer a choice of styles, from ornate and traditional to clean and simple. Both collections install with an innovative, load-rated hex-head washer and fastener combination, delivering the appearance of a bolt while providing the easy installation and convenience of a screw.

Outdoor Accents connectors include post bases to secure wood columns to concrete while providing a 1" stand-off height that helps reduce decay. These bases accommodate lumber in both nominal and rough sizes. Optional decorative side plates are available to give the look of a four-sided post base.

Angles make connections between beams and posts stronger and provide more consistent, straight corners for a variety of outdoor projects. Flat T and L straps provide reinforcement for connections where one lumber piece intersects another at a 90° angle. The deck joist tie attaches 2x joists to the side of 4x or larger support posts. Both collections also feature gable plates and decorative washers to add flair to any outdoor living project.

Additionally, the Essentials Collection features concealed flange hangers that work with both styles and the Accessories Collection features products that add decorative accents to any project.

#### Material: See tables

Finish: ZMAX® coating with black powder coat

#### Installation:

- Use all specified fasteners; see General Notes
- Outdoor Accents connectors must be installed with the Hex-Head Washer (STN22) and Structural Wood screw (SDWSDBB) combination. Some items require Strong-Drive® SD Connector screws.

#### Codes: See p. 13 for Code Reference Key Chart

#### Web Applications:

C-C-2024 @ 2024 SIMPSON STRONG-TIE COMPANY INC.

- Visit app.strongtie.com/pps to access our Pergola Planner Software™.
- Visit app.strongtie.com/agpd to access our Architectural Gable Plate Designer.





APA6

(others similar) US Patent Pending



**APGP1212** (others similar)

APVDJT2R-4 (others similar)



APA21 with SD10112DBB

EC W



Typical APL4 Installation

Typical APB Installation

Typical APA21 Installation

# **Outdoor Accents**<sup>°</sup> – **Mission Collection**<sup>°</sup>

## **Decorative Hardware**

### Post Bases

Model	G	a.	Dime	ensions	(in.)	Fasten	er Qty.	DF/SP Allov	vable Loads	Code
No.	Base	Strap	L	w	Н	Column	Anchor	Uplift (160)	Down (100)	Ref.
APB3.75	16	12	3	3¾	67⁄8	4	(1) 5⁄8	1,035	6,725	
APB44	16	12	3	3%16	7	4	(1) 5⁄8	1,035	6,725	
APB44R	16	12	3	41⁄16	6¾	4	(1) %	1,035	6,725	
APB66	12	12	5	5½	71⁄2	4	(1) %	1,260	11,450	
APB66R	12	12	5	6	71⁄4	4	(1) 5⁄8	1,260	11,450	IBC®, FL, LA
APB88	14	12	7	71⁄2	10%16	8	(2) 5⁄8	2,670	22,255	,
APB88R	14	12	7	8	105/16	8	(2) 5⁄8	2,670	22,255	
APB1010	14	12	9	91⁄2	11	8	(2) 5⁄8	2,365	23,725	
APB1010R	14	12	9	10	10¾	8	(2) 5⁄8	2,365	23,725	



1. Uplift loads have been increased for earthquake or wind loading with no further

increase allowed. Reduce where other loads govern.

2. Downloads may not be increased for short-term loading.

3. Specifier is to design concrete and anchorage for uplift loads. Visit strongtie.com for more

information about mechanically galvanized or stainless-steel Titen HD® or SET-3G™ applications. 4. Downloads shall be reduced where limited by capacity of the post.

5. All post fasteners are Outdoor Accents SDWS22312DBB structural wood screws inserted through an STN22 hex-head washer.

6. Post bases do not provide adequate resistance to prevent members from rotating about the base and therefore are not recommended for installations that lack top support (such as fences or unbraced carports).

7. Fasteners sold separately.

### **Decorative Side Plates**

Model	Ga.	Dimensi	ons (in.)	Fastener Qty.
No.	ua.	W	Н	Column
APB44DSP		3	6¾	4
APB66DSP		5	71⁄4	4
APB88DSP	12	7	105⁄16	0
APB1010DSP		9	10¾	Ő

1. All fasteners are a Outdoor Accents SDWS22312DBB inserted through an STN22 hex-head washer. Quantities listed are for two parts.

2. Install top of decorative side plates flush to top of post base strap legs. Decorative side plates installed on APB post bases will be raised up 1/4" from the bottom of the post base, while installations on rough models will not.

3. Fasteners sold separately.

### Decorative Post Base Wrap

Model No.	Post Size	Width (in.)	Height (in.)	Installs With	Coating Material	Packaging Quantity
APBDW44	4x4 post	4¾	1011/16	(12) black screws	Composite	(1) 4-sided set
APBDW66	6x6 post	67⁄8	11 7⁄16	(included)	plastic	(1) 4-Sided Set

1. Wraps around the MPBZ moment post base as well as the CBSQ, ABUZ, ABWZ and ABAZ post bases (only with screw and nail applications; will not work over bolts).



APB88 with Optional Decorative Side Plate



#### **UPDATED 10/01/2024**

# Outdoor Accents<sup>®</sup> – Mission Collection<sup>®</sup>

## **Decorative Hardware**

#### Heavy Angles

Model	Model		Dimensions (in.)			er Qty.	DF/S	P Allowable L	oads	Code
No.	Ga.	L	W <sub>1</sub>	W <sub>2</sub>	Column	Beam	Uplift (160)	F <sub>1</sub> (160)	F <sub>2</sub> (100/160)	Ref.
APA4	12	3	31⁄4	3	2	2	710	1,220	380	IBC®,
APA6	12	5	3¾	3½	4	4	1,350	1,985	1,215	FL, LA

1. Allowable loads have been increased for wind or earthquake loading with no further

increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts.

For single part installations, use half the listed values.

3. All fasteners are Outdoor Accents SDWS22312DBB structural wood screws

inserted through an STN22 hex-head washer.

4. Fasteners sold separately.

### Light Rafter Tie

Model	0	Dimensions (in.)			Fasten	er Qty.	DF/SP Allov	Code	
No.	Ga	L	W <sub>1</sub>	W <sub>2</sub>	Column	Beam	Uplift (160)	F <sub>1</sub> (160)	Ref.
APA21	14	1¾	2	1½	1	1	200	120	IBC, FL, LA

1. Allowable loads have been increased for wind or earthquake loading with no further

increase allowed. Reduce where other loads govern.

2. Allowable loads and fastener quantities are for a single part.

3. All fasteners are Outdoor Accents SD10112DBB connector screws.

4. Fasteners sold separately.

### Beam-to-Column Ties and Flat Straps

		Din	nensions	(in.)	Fasten	er Qty.	DF/SP Allov	vable Loads	
Model No.	Ga.	W	L	Н	Column	Beam	Uplift/ Tension (160)	F <sub>1</sub> (160)	Code Ref.
APL4	12	3	81⁄4	81⁄4	2	4	1,155	670	
APL6	12	5	111⁄4	111⁄4	4	6	1,905	1,340	IBC,
APT4	12	3	13½	81⁄4	2	4	1,330	1,015	FL, LA
APT6	12	5	17½	111⁄4	4	8	2,130	1,425	
APST412	12	3	111⁄4	—		8	850	_	
APST612	12	5	111⁄4	_	_	8	1,505		

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts. For single part installations, use half the listed values.

3. All fasteners are Outdoor Accents SDWS22312DBB structural wood screws inserted through an STN22 hex-head washer.

4. Fasteners sold separately.

C-C-2024 © 2024 SIMPSON STRONG-TIE COMPANY INC.

#### Web Applications:

- Visit app.strongtie.com/pbs to access our Post-to-Beam Selector.
- Visit app.strongtie.com/agpd to access our Architectural Gable Plate Designer.





Typical APL4 Installation







Typical APST612 Installation (APST412 similar)





# **Outdoor Accents**<sup>°</sup> – **Mission Collection**<sup>°</sup>

## **Decorative Hardware**

#### Gable Plates

Model No.	Ga.	Roof Pitch		Angle	Wood Member Width	Dir	nensio (in.)	ons		Fastener Qty.		DF/SP Allowable Loads	Code Ref.
NO.		FIIGH	(deg.)	(in.)	W	W H L		Beam	Center Column	Angled Struts			
APGP612		6:12	27°	5½									
APGP812	12	8:12	34°	5½	5	201⁄2	36	16	8	16	3,925	_	
APGP1212		12:12	45°	5½									

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts. For single part installations, use half the listed values.

3. Uplift loads apply to the connection between the center vertical post and the beam.

4. All fasteners are a Outdoor Accents SDWS22312DBB inserted through an STN22

hex-head washer. Quantities listed are for two parts.

5. Fasteners sold separately.



**APGP1212** 



### Deck Joist Tie

Model	6.0	Din	nensi (in.)	ons	Fast Quantity a	ener Ind Length		llowable Loads	Code
No.	Ga.	s	w	н	Column	Joist	Floor (100)	Roof (125)	Ref.
APDJT2-4	12	1½	3	10	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	
APDJT1.75-4	12	1¾	3	9¾	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	
APDJT2R-4	12	2	3	91⁄2	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	IBC®,
APDJT2-6	12	1½	5	10	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	FL, LÁ
APDJT1.75-6	12	13/4 5 93/4		(2) 31⁄2"	(2) 51⁄2"	1,870	2,340		
APDJT2R-6	12	2	5	91⁄2	(2) 3½"	(2) 51⁄2"	1,870	2,340	

1. Roof loads are 125% of floor loads unless limited by other criteria. Floor loads may be adjusted for load durations according to the code provided they do not exceed those in the roof column.

2. Allowable loads and fastener quantities are per part. APDJT1.75 model loads for Western Red Cedar are 1,430 lb. floor (100) and 1,790 lb. roof (125).

3. Joist fastener is an Outdoor Accents SDWS22512DBB structural wood screw inserted through an STN22 hex-head washer. Post fastener is an SDWS22312DBB

structural screw inserted through an STN22 hex-head washer.

4. Fasteners sold separately.



Ô

Typical APDJT2-6 Installation

**UPDATED 10/01/2024** 

# Outdoor Accents<sup>®</sup> — Avant Collection<sup>™</sup>

## Decorative Hardware

#### Post Base

Model	G	Ga.		Dimensio (in.)	ns		tener ty.	/DF Allowabl		Code
No.	Base	Strap	L	W	Н	Column	Anchor Dia. (in.)	Uplift (160)	Down (100)	Ref.
APVB44	16	12	3	3%16	6¾	4	(1) 5⁄8	1,035	6,725	
APVB44R	16	12	3	41⁄16	6½	4	(1) 5⁄8	1,035	6,725	
APVB66	12	12	5	5½	6 <sup>13</sup> ⁄16	4	(1) 5⁄8	1,260	11,450	
APVB66R	12	12	5	6	6%16	4	(1) 5⁄8	1,260	11,450	IBC®,
APVB88	14	12	7	7 1⁄2	97⁄8	8	(2) 5⁄8	2,670	22,255	FL, LA
APVB88R	14	12	7	8	9%	8	(2) 5⁄8	2,670	22,255	
APVB1010	14	12	9	91⁄2	9¾	8	(2) 5⁄8	2,365	23,725	
APVB1010R	14	12	9	10	91⁄2	8	(2) 5/8	2,365	23,725	

1. Uplift loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Downloads may not be increased for short-term loading.

 Specifier is to design concrete and anchorage for uplift loads. Visit strongtie.com for more information about mechanically galvanized or stainless-steel Titen HD<sup>®</sup> or SET-3G<sup>™</sup> applications.

4. Downloads shall be reduced where limited by capacity of the post.

5. All column fasteners are Outdoor Accents SDWS22312DBB structural wood screws inserted through an STN22 hex-head washer.

 Column bases do not provide adequate resistance to prevent members from rotating about the base and therefore are not recommended for installations that lack top support (such as fences or unbraced carports).

7. Fasteners sold separately.

### Decorative Side Plates

Model	Ga.	Dimen	sions (in.)	Fastener Qty.
No.	ua.	W	н	Column
APVB44DSP		3	6½	4
APVB66DSP		5	6%16	4
APVB88DSP	12	7	95%	0
APVB1010DSP		9	91⁄2	0

1. All fasteners are Outdoor Accents SDWS22312DBB inserted through an STN22 hex-head washer. Quantities listed are for two parts.

 Install top of decorative side plates flush to top of post base strap legs. Decorative side plates installed on APVB post bases will be raised up 1/4" from the bottom of the post base, while installations on rough models will not.

3. Fasteners sold separately.

### Deck Joist Tie

C-C-2024 @ 2024 SIMPSON STRONG-TIE COMPANY INC.

Model	Ga.	D	imensio (in.)	15		Quantity ength	DF. Allowable [	Code	
No.	ua.	S	w	н	Column	Joist	Floor (100)	Roof (125)	Ref.
APVDJT2-4	12	1½	3	10	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	
APVDJT1.75-4	12	13⁄4	3	93⁄4	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	
APVDJT2R-4	12	2	3	91⁄2	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	IBC,
APVDJT2-6	12	11⁄2	5	81⁄2	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	FL, LA
APVDJT1.75-6	12	13⁄4	5	81⁄4	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	]
APVDJT2R-6	12	2	5	8	(2) 31⁄2"	(2) 51⁄2"	1,870	2,340	

1. Roof loads are 125% of floor loads unless limited by other criteria. Floor loads may be adjusted for load durations according to the code, provided they do not exceed those in the roof column.

2. Allowable loads and fastener quantities are per part. APVDJT1.75 model loads for Western Red Cedar are 1,430 lb. floor (100) and 1,790 lb. roof (125).

 Joist fastener is an Outdoor Accents SDWS22512DBB structural wood screw inserted through an STN22 hex-head washer. Column fastener is an SDWS22312DBB structural screw inserted through an STN22 hex-head washer.

4. Fasteners sold separately.







#### APVB44DSP shown with APVB44 post base



APVDJT2-6

# Outdoor Accents<sup>®</sup> – Avant Collection<sup>™</sup>

## **Decorative Hardware**

### Heavy Angles

Model	Ga.	Di	mensio (in.)	ns	Fast Qua	ener ntity	AI	DF/SP Allowable Loads		
No.	ua.	L	W <sub>1</sub>	W <sub>2</sub>	Column	Beam	Uplift (160)	F <sub>1</sub> (160)	F <sub>2</sub> (100/160)	Ref.
APVA4	12	3	31⁄4	3	2	2	710	1,220	380	IBC®,
APVA6	12	5	31⁄4	3	4	4	1,350	1,985	1,215	FL, LA

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts.

For single part installations, use half the listed values.

3. All fasteners are Outdoor Accents SDWS22312DBB structural wood screws inserted through an STN22 hex-head washer.

4. Fasteners sold separately.

### Light Rafter Tie

Model	Ga.	C	)imension (in.)	S	Fast Qua		DF/ Allowab		Code Ref.	
No.	ua.	L	W <sub>1</sub>	W <sub>2</sub>	Column	Beam	Uplift (160)	F <sub>1</sub> (160)	Ref.	
APVA21	14	1¾	2	1½	1	1	200	120	IBC, FL, LA	

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Allowable loads and fastener quantities are for a single part.

3. All fasteners are Outdoor Accents SD10112DBB connector screws.

4. Fasteners sold separately.

### Beam-to-Column Ties and Flat Straps

Model	Ga.	Dimensions (in.)			Fastener Quantity		DF/ Allowab	Code	
No.		W	L	H	Column	Beam	Uplift (160)	F <sub>1</sub> (160)	Ref.
APVL4	12	3	81⁄4	81⁄4	2	4	1,155	670	
APVL6	12	5	10½	10½	4	6	1,905	1,340	IBC,
APVT4	12	3	13½	81⁄4	2	4	1,330	1,015	FL, LA
APVT6	12	5	16	10½	4	8	2,130	1,425	
APVST412	12	3	111⁄4	_	—	8	850	_	
APVST610	12	5	9¾	—	—	8	1,505	—	_

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts.

For single part installations, use half the listed values.

3. All fasteners are Outdoor Accents SDWS22312DBB structural wood screws inserted through an STN22 hex-head washer.

4. Fasteners sold separately.

#### Web Applications:

- Visit app.strongtie.com/pbs to access our Post-to-Beam Selector.
- Visit app.strongtie.com/agpd to access our Architectural Gable Plate Designer.





APVL4





SIMPSON

Strong-Tie







21⁄4" min.

# Outdoor Accents<sup>®</sup> – Avant Collection<sup>™</sup>

Knee Braces

	Model	Ga.		Dimensions (in.)	Fastener Quantity		
	No.	ua.	L	W <sub>1</sub>	W <sub>2</sub>	Column or Beam	Knee Brace
	APVKB45-4	12	3	5%	5%	2	2
<b>@</b>	APVKB45-6	12	5	47⁄8	41⁄8	2	2

1. All fasteners are Outdoor Accents SDWS22312DBB inserted through an STN22 hex-head washer. Quantities listed are for one part.

2. Fasteners sold separately.

C-C-2024 @ 2024 SIMPSON STRONG-TIE COMPANY INC.



# Outdoor Accents<sup>®</sup> — Avant Collection<sup>™</sup>



## Decorative Hardware

### Gable Plates

Model	Ga.	Roof	Angle	Wood Member	Dimensions (in.)			Fastener Quantity			DF/SP Allowable Loads	Code
No.	ua.	Pitch	(deg.)	Width (in.)	W	Н	L	Beam	Center Column	Angled Struts	Uplift (160)	Ref.
APVGP612		6:12	27°	5½								
APVGP812	12	8:12	34°	5½	5	19¾	34 1⁄2	16	8	16	3,925	
APVGP1212	12	12:12	45°	5½								_
APVGP1212-4		12:12	45°	31⁄2	3	11 ½	20	8	4	8	2,195	

1. Allowable loads have been increased for wind or earthquake loading with no further increase allowed. Reduce where other loads govern.

2. Connector table loads and fastener quantities are listed for two parts. For single part installations, use half the listed values.

3. Uplift loads apply to the connection between the center vertical post and the beam.

4. All fasteners are Outdoor Accents SDWS22312DBB inserted through an STN22 hex-head washer. Quantities listed are for two parts.

5. Fasteners sold separately.





Architectural Gable Plate Designer

Visit **app.strongtie.com/agpd** to access Architectural Gable Plate Designer web application for specifying Outdoor Accents gable plates.



Visit **app.strongtie.com/pps** to access pre-built templates for your project in Pergola Planner Software<sup>™</sup>.

#### UPDATED 10/01/2024